



ADVANCED FLEXIBLE SOLUTIONS



PLANO
FLAT WALL



FLE XO
TILT WALL



DYNO
DYNAMIC ARTICULATING



PILO TMOTION
MOTORIZED



PILO TMOTION
TABLE TOP



ZOOM
DESK



LUNA
CEILING



SYNCHRO
WALL SYSTEM

SALAMANDER

M O U N T S

Description	Silver	Black	Master Pack	Screen Size		Max Weight Capacity	Universal Mounting	VESA Compliant	Distance From Wall	Tilt		Swivel	Rotation	Mounting
				min	max					lbs	width x height			
PLANO™ Flat Wall Solutions														
Plano 100 Small	PL100/S	X	4	13	32	65		min 100 x 100 - max 200 x 200	.7"					Single Stud
Plano 100 Medium	PL100/M	* PL100/M/BK	4	23	42	100	min 3.9 x 3.9 - max 16.5 x 12.1"	min 100 x 100 - max 400 x 300	1.2"					Single Stud
Plano 100 Large	PL100/L	* PL100/L/BK	2	32	60	175	min 7.9 x 7.9 - max 32.3 x 20"	min 200 x 200 - max 800 x 500	1.2"					Double Stud
Plano/Flexo Combo 100 XL	* FX100/XL	* FX100/XL/BK	2	50	65	175	min 7.9 x 7.9 - max 36 x 24"	min 200 x 200 - max 900 x 600	1.5" or 3.75"	15°	15°			Double Stud
FLEXO™ Tilt Wall Solutions														
Flexo 100 Small	FX100/S	* FX100/S/BK	4	13	32	65		min 75 x 75 - max 200 x 200	1.9	10°	10°	10°	360°	Single Stud
Flexo 100 Medium	FX100/M	* FX100/M/BK	4	23	42	100	min 3.9 x 3.9 - max 19.7 x 12.1"	min 100 x 100 - max 500 x 300	2.6"	15°	15°			Single Stud
Flexo 100 Large	FX100/L	* FX100/L/BK	2	32	60	175	min 7.9 x 7.9 - max 35 x 20.1"	min 100 x 100 - max 800 x 500	3.3	15°	15°			Double Stud
Plano/Flexo Combo 100 XL	* FX100/XL	* FX100/XL/BK	2	50	65	175	min 7.9 x 7.9 - max 36 x 24"	min 200 x 200 - max 900 x 600	1.5" or 3.75"	15°	15°			Double Stud
Flexo 200 Audio/Video XL	X	FX200AV/XL/BK		42	65	175	min 7.9 x 7.9 - max 38.4 x 21.4"	min 100 x 100 - max 900 x 500	3.5		7°			Double Stud
DYNO™ Dynamic Articulating Wall Solutions														
Dyno 102 Small	DY102/S	* DY102/S/BK	4	13	32	45		min 75 x 75 - max 200 x 200	3.5 - 18"	15°	15°	180°	360°	Single Stud
Dyno 102 Medium	DY102/M	* DY102/M/BK	2	23	42	100		min 100 x 100 - max 200 x 200	3.5 - 17.6"	30°	30°	90°		Single Stud
Dyno 102 Large	* DY102/L	* DY102/L/BK		32	65	175	min 7.9 x 7.9 - max 36 x 24"	min 200 x 200 - max 900 x 600	3.4 - 17.3"	30°	30°	90°		Double Stud
Dyno 102 Universal TV Mounting Adapter (For use with Dyno 102 Medium)	MA/UA1	* MA/UA1/BK	4	32	42	100	min 7.9 x 7.9 - max 31.5 x 18.7"	min 200 x 200 - max 800 x 400						
Dyno 102 Speaker Bracket (For use with Dyno 102 Large)	* MA/SP1	* MA/SP1/BK												
PILOTMOTION™ Motorized Solutions														
PilotMotion 100 Small	PM100/S	X		13	32	65		min 75 x 75 - max 200 x 200	5.7" or 6.9"	5°	15°	30°		Single Stud
PilotMotion 100 Medium	PM100/M	X		32	50	110	min 7.9 x 7.9 - max 32.4 x 21.5"	min 200 x 200 - max 800 x 500	6.8" or 8.6"	5°	15°	25°		Double Stud
PilotMotion 100 TableTop Medium	X	PM100TT/M		32	50	110	min 3.9 x 3.9 - max 32.4 x 21.5"	min 100 x 100 - max 800 x 500				30°		Table Top
ZOOM™ Desk Solutions														
Zoom 102 Single	ZM102/S	X	4	13	24	33		min 75 x 75 - max 100 x 100	11 - 14.8"	15°	15°	360°	360°	Desk
Zoom 102 Dual	ZM102D/S	X	2	13	24	33		min 75 x 75 - max 100 x 100	11 - 14.8"	15°	15°	360°	360°	Desk
LUNA™ Ceiling, Flat-Panel & Projector Solutions														
Luna 100 Small	LU100/S	X	4	13	26	40		min 75 x 75 - max 200 x 200	12.4 - 16.2"	30°	30°	360°	360°	Ceiling
Luna 200 Medium	X	* LU200/M/BK		23	42	132	min 3.9 x 3.9 - max 16.5 x 12.1"	min 100 x 100 - max 400 x 300	TBD		25°	90°		Ceiling
Luna 200 Dual Medium	X	* LU200D/M/BK		23	42	264	min 3.9 x 3.9 - max 16.5 x 12.1"	min 100 x 100 - max 400 x 300	TBD		25°	90°		Ceiling
Luna 200 Large	X	* LU200/L/BK		32	60	132	min 3.9 x 3.9 - max 32.3 x 20"	min 200 x 200 - max 800 x 500	TBD		25°	90°		Ceiling
Luna 200 Dual Large	X	* LU200D/L/BK		32	60	264	min 3.9 x 3.9 - max 32.3 x 20"	min 200 x 200 - max 800 x 500	TBD		25°	90°		Ceiling
Luna 200 Projector	LU200/PJ	X	4			30	3 or 4 hole mounting			45°	45°		360°	Ceiling
Luna 200 Projector Adapter - 1.5" National Pipe Thread to 50mm	X	* MA/CK1/BK												
Luna 200 Adapter -1.5" National Pipe Thread to Luna 200 Extrusions	X	* MA/CK2/BK												
Luna 200 Adapter - Angled Ceiling Bracket	X	* MA/CK3/BK												
Luna 200 Multi-Adapter - Offset Ceiling, Pipe Clamp, Unistrut	X	* MA/CK4/BK												
SYNCHRO™ Integrated Solutions														
Synchro 100 Wall Shelf, Clear Glass	SY100/S/C	X	2			88	dims: 19.7"W x 13.8"D x .4"TH							Single Stud
Synchro 100 Wall Shelf, Black Glass	SY100/S/B	X	2			88	dims: 19.7"W x 13.8"D x .4"TH							Single Stud
Synchro 100 Cable Manager Small, 20"	SY100/CM/S	X	12				dims: 2.7"W x 19.7"H x 1.2"D							Single Stud
Synchro 100 Cable Manager Large, 41"	SY100/CM/L	X	12				dims: 2.7"W x 41.3"H x 1.2"D							Single Stud
Synchro Furniture Mate (For Use with Cabinets 20" Tall)	X	* SY/FM1		32	60	150	min 7.9 x 7.9 - max 32.4 x 21.5"	min 200 x 200 - max 800 x 500				30°		Floor Standing
Synchro Furniture Mate XL (For Use with Cabinets 30" Tall)	X	* SY/FM1/XL		32	60	150	min 7.9 x 7.9 - max 32.4 x 21.5"	min 200 x 200 - max 800 x 500				30°		Floor Standing
Synchro Furniture Mate Motorized Kit (For Use with SY/FM1 and SY/FM1/XL)	X	* MA/PMU1		32	60	110								

* Available Fall 2008

SALAMANDER DESIGNS LIMITED WARRANTY

Salamander Designs Ltd. (Salamander) provides the following Limited Warranty. The Limited Warranties herein described for the specific products listed below shall be in lieu of any other warranty, expressed or implied, including but not limited to any implied warranty of merchantability or fitness for a particular use. These Limited Warranties do not cover damages incurred in shipment, failures caused by other products not supplied by Salamander, or failures due to accident, misuse, abuse or alteration of the product. Salamander's sole liability and the purchaser's exclusive remedy shall be for the repair, or at Salamander's option, for the replacement of the defective part as provided herein. Notwithstanding the above, if replacement parts for defective materials are not available, Salamander reserves the right to make reasonable compensation in lieu of repair or replacement. Liability for incidental or consequential damages under the warranty is excluded. Some states do not allow limitation of incidental or consequential damages. Therefore, the above limitation may not apply in certain instances. Defective product must be given Return Authorization by Salamander and is to be returned to the factory prepaid, in the original carton and packing materials. Any damage incurred in a shipment not in original packing shall be the responsibility of the owner. Warranty repairs will be returned to the owner prepaid, within the continental U.S.A. only. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

Salamander Audio/Video Mount Warranty Limitations

MANUAL MOUNTS - Salamander provides a five (5) year Limited Warranty from the date of the purchase, on material damage and/or manufacturing defects. Salamander guarantees that if, during the warranty period, any defects should occur in the product resulting from faulty material and/or assembly, as assessed by Salamander, the product will be repaired or, if necessary, replaced free of charge. The warranty expressly does not apply to normal wear and tear that becomes apparent after normal use.

MOTORIZED MOUNTS - Salamander provides a two (2) year Limited Warranty on motorized mounts. This warranty covers the repair or replacement, at Salamander's option, of any product defective in materials or craftsmanship. Batteries are not covered by the warranty. Other limitation apply (See entire Mounts Warranty)

INSTRUCTIONS AND WARRANTY LIMITATIONS APPLICABLE TO ALL MOUNTS

During mounting of the product, instructions for the installation and use of the television must be followed precisely. Correct mounting is essential. For maximum weights, screen size and correct application, please refer to the product installation instructions. Failure to comply with these requirements or the occurrence of any of the following circumstances will result in the termination of any otherwise applicable

Limited Warranty:

- a. If the holes in the wall required for the installation of the product were not drilled in accordance with the instructions for use of the product, or if the product was not properly installed or used.
- b. If you (or third parties) – without Salamander's or your Salamander dealer's prior knowledge and permission – carried out work or repairs on the product.
- c. If a defect is the result of external causes, i.e. in the case of abnormal types of damage caused by climatological, thermal, mechanical or other external influences.
- d. If the product is not used in accordance with its intended use or if it is damaged as a result of negligence.

WARRANTY PROCEDURE

Claims should be made through the dealer from which the product was purchased. The dealer will contact Salamander Designs Ltd. (Salamander) for warranty service. An original sales order number/purchase order number will be required for warranty protection. Salamander's liability under this warranty is limited to repairing or replacing at Salamander's option any part or parts of the product found to be defective in material or workmanship within the applicable warranty period. Salamander in its sole discretion will determine the cause and nature of any defect, the necessity and manner of repair or replacement, and all other matters pertaining to the condition of the product.

LABOR AND SHIPPING CHARGES

Should you be entitled to receive a repair or replacement under this warranty, Salamander will pay the cost of labor, handling and shipping to the consumer for two (2) years from the date of purchase by the original consumer. After that date, the purchaser will be responsible for these costs.



SALAMANDER
D E S I G N S

web: SalamanderDesigns.com
email: sales@salamanderdesigns.com
phone: 800.535.5659
fax: 860.313.0526