



# Request for Quote Form

Please allow two business days for product specifications and drawings. Pricing and specs will not be provided until after this form is filled out in it's entirety.

Date: \_\_\_\_\_

Contact: \_\_\_\_\_  
Address: \_\_\_\_\_  
\_\_\_\_\_

Project name: \_\_\_\_\_  
Project address: \_\_\_\_\_  
Project City, State, ZIP \_\_\_\_\_

Estimated qty: \_\_\_\_\_

Mock-up delivery date \_\_\_\_\_  
Construction start date \_\_\_\_\_  
Estimated completion date \_\_\_\_\_

Type of project: (check one)  
 Hotel  
 Condominium  
  
 Other \_\_\_\_\_

Status of construction: (check one)  
 Planned New Const.  
 Under construction  
 Planned Renovation  
 Under Renovation

Architect: \_\_\_\_\_  
Address: \_\_\_\_\_  
Address 2: \_\_\_\_\_  
Contact: \_\_\_\_\_

Phone: \_\_\_\_\_  
Fax: \_\_\_\_\_  
eMail: \_\_\_\_\_

Interior Design Firm: \_\_\_\_\_  
Address: \_\_\_\_\_  
Address 2: \_\_\_\_\_  
Contact: \_\_\_\_\_

Phone: \_\_\_\_\_  
Fax: \_\_\_\_\_  
eMail: \_\_\_\_\_

General Contractor: \_\_\_\_\_  
Address: \_\_\_\_\_  
Address 2: \_\_\_\_\_  
Contact: \_\_\_\_\_

Phone: \_\_\_\_\_  
Fax: \_\_\_\_\_  
eMail: \_\_\_\_\_

Developer/Owner: \_\_\_\_\_  
Address: \_\_\_\_\_  
Address 2: \_\_\_\_\_  
Contact: \_\_\_\_\_

Phone: \_\_\_\_\_  
Fax: \_\_\_\_\_  
eMail: \_\_\_\_\_

Purchaser/Buyer: \_\_\_\_\_  
Address: \_\_\_\_\_  
Address 2: \_\_\_\_\_  
Contact: \_\_\_\_\_

Phone: \_\_\_\_\_  
Fax: \_\_\_\_\_  
eMail: \_\_\_\_\_



# Request for Quote Form

Please forward any CAD files and sketches that are available to [sales@seura.com](mailto:sales@seura.com) or fax to 920-337-1932.

**Desired Mirror Size** – Maximum size 80" x 50" or 50" x 80":      Width: \_\_\_\_\_      Height: \_\_\_\_\_

Please provide a range (width and height) of acceptable mirror sizes that will allow Seura to best utilize raw materials commercially available light bulb sizes.      Width: \_\_\_\_\_      Height: \_\_\_\_\_

**LCD screen size:**

- 15" – 4:3 HDTV
- 20" – 16:9 HDTV
  - Minimum mirror size 24"(W) x 20"(H) – Requires pre-approval from Seura due to design constraints.
- 26" – 16:9 HDTV
  - Minimum mirror size 30"(W) x 20"(H) – Requires pre-approval from Seura due to design constraints.
- 32" – 16:9 HDTV
  - Minimum mirror size: 40"(W) x 28"(H)
- 37" – 16:9 HDTV
  - Minimum mirror size: 45"(W) x 31"(H)
- 46" – 16:9 HDTV
  - Minimum mirror size: 53"(W) x 36"(H)
- 52" – 16:9 HDTV
  - Minimum mirror size: 64"(W) x 42"(H)
- 65" – 16:9 HDTV
  - Minimum mirror size: 75"(W) x 50"(H)
- Other – please specify make and model

**LCD Compatability Requirements:** Tuner: VHF \_\_\_\_\_ UHF \_\_\_\_\_ (ie: NTSC, PAL )

**Power Requirements:** Voltage \_\_\_\_\_ Frequency \_\_\_\_\_ (ie: 120v, 60Hz)

**Mirror type:**

- Enhanced: mirror designed to emulate the color and clarity of traditional mirrors for applications such as bathrooms
- Premier: mirror designed to optimize television viewing quality, providing maximum color clarity of the LCD for applications such as bedrooms, living rooms, and dens.
- Découverte: Designed for TV Mirror applications whereas a traditional mirror is required. When powered off, a non-reflective area remains in the area of the LCD.
- Beveling**
  - Yes: Size – 3/4" 1" 1-1/4" Please Circle One
  - None

**Mounting option you desire.**

- Recessed: Mounts in the wall directly to wall framing.
- Surface Mount: Hangs on exterior of wall.

**Mirror Framing**

- None
- Frame by others (Specify details: \_\_\_\_\_)
- Frame by Séura (Specify details: \_\_\_\_\_)

**Lighting Design**


- Lola
- Lumin
- Veda
- Other Custom Design (Specify details: \_\_\_\_\_)
- None

**Dimmable Lighting Option**

- Yes
- No

### Special Instructions/Notes

- Please provide all necessary dimensions for LCD location.



### **NOTES:**

**Maximum Mirror Dimensions** - The maximum size of a single pane product is 50"x80" or 80"x50", all single mirror design sizes need to fit into this size configuration.

**Television Location Restrictions** - The visible television screen must be located a minimum of 6.0" from either side of the mirror edge. The visible television screen must be located a minimum of 7.0"-9.0" from the bottom mirror edge, depending on model, and will be indicated on the final sign-off drawing.

**Existing Rough Openings** - If a Rough Opening is pre-existing, the location and size needs to be shown in relation to the desired TV-Mirrors edges.

**Special Holes / Cutouts** - All Holes/Cutouts need to be accurately dimensioned from the bottom edge and each side of TV Mirror. Standard sizes available: 1/2", 1", 1-1/2", 2", 2-1/8", 2-1/2", 3", 3-1/2", 4" circular cutouts. All other sizes must have pre-approval from Seura.

**Tolerances** - Allow +/- 1/16" tolerances on mirror sizes and related critical dimensions.